

## EAST SEARCH TLM 05/23/2007

Jerrad Neerink

	Type	L #	Hits	Search Text	DBs
1	BRS	L5	0	"8252308"	USPAT
2	BRS	L6	0	"8252308".an.	USPAT
3	BRS	L7	0	"08252308"	USPAT
4	BRS	L11	21	712/202.ccls.	US-PGPUB
5	BRS	L12	335	712/216-219.ccls.	US-PGPUB
6	BRS	L13	24	712/222.ccls.	US-PGPUB
7	BRS	L14	167	712/225.ccls.	US-PGPUB
8	BRS	L15	192	712/227.ccls.	US-PGPUB
9	BRS	L16	55	712/229.ccls.	US-PGPUB
10	BRS	L17	95	712/244.ccls.	US-PGPUB
11	BRS	L18	58	703/26.ccls.	US-PGPUB
12	BRS	L24	61	fxch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	BRS	L25	24658	(exchang\$3 or switch\$3 or swap\$4) with stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	BRS	L26	26156	(exchang\$3 or switch\$3 or swap\$4) with stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	BRS	L27	8962	(exchang\$3 or switch\$3 or swap\$4) near3 stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
16	BRS	L28	1069	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
17	BRS	L29	178	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and dependency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
18	BRS	L30	87	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and dependency and microcode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
19	BRS	L31	92	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and dependency and (microcode or (micro adj code) or (microinstruction or (micro adj instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
20	BRS	L32	9275	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and dependency and (microcode or (micro adj code)) or (microinstruction or (micro adj instruction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
21	BRS	L33	9238	((exchang\$3 or switch\$3 or swap\$4) near3 stack) with exception with dependency with (microcode or (micro adj code)) or (microinstruction or (micro adj instruction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
22	BRS	L34	0	((exchang\$3 or switch\$3 or swap\$4) near3 stack) with exception with dependency with ((microcode or (micro adj code)) or (microinstruction or (micro adj instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
23	BRS	L35	0	((exchang\$3 or switch\$3 or swap\$4) near3 stack) near2 exception with dependency with ((microcode or (micro adj code)) or (microinstruction or (micro adj instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
24	BRS	L36	0	((exchang\$3 or switch\$3 or swap\$4) near3 stack) same exception same dependency same ((microcode or (micro adj code)) or (microinstruction or (micro adj instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
25	BRS	L37	0	((exchang\$3 or switch\$3 or swap\$4) near3 stack) same exception same dependency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
26	BRS	L38	178	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and dependency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
27	BRS	L39	87	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and dependency and (microcode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
28	BRS	L40	92	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and dependency and ((microcode or (micro adj code)) or (microinstruction or (micro adj instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
29	BRS	L42	21	712/202.ccls.	US-PGPUB
30	BRS	L43	335	712/216-219.ccls.	US-PGPUB
31	BRS	L44	24	712/222.ccls.	US-PGPUB
32	BRS	L45	167	712/225.ccls.	US-PGPUB
33	BRS	L46	192	712/227.ccls.	US-PGPUB
34	BRS	L47	55	712/229.ccls.	US-PGPUB
35	BRS	L48	95	712/244.ccls.	US-PGPUB
36	BRS	L49	58	703/26.ccls.	US-PGPUB
37	BRS	L62	83	overrid\$3 near2 dependen\$3	USPAT
38	BRS	L63	363	(overrid\$3 or overcom\$3) near2 dependen\$3	USPAT
39	BRS	L66	3	(overrid\$3 or overcom\$3 or bypass\$3) near2 dependen\$3 same stack	USPAT
40	BRS	L68	21	712/202.ccls.	US-PGPUB
41	BRS	L69	335	712/216-219.ccls.	US-PGPUB
42	BRS	L70	24	712/222.ccls.	US-PGPUB
43	BRS	L71	167	712/225.ccls.	US-PGPUB
44	BRS	L72	192	712/227.ccls.	US-PGPUB
45	BRS	L73	55	712/229.ccls.	US-PGPUB
46	BRS	L74	95	712/244.ccls.	US-PGPUB
47	BRS	L75	58	703/26.ccls.	US-PGPUB
48	BRS	L88	42	floating near2 point near exchange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
49	BRS	L89	63	floating near2 point near2 exchange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
50	BRS	L90	0	"8252308"	USPAT
51	BRS	L91	0	"8252308".an.	USPAT
52	BRS	L92	0	"08252308"	USPAT
53	BRS	L93	21	712/202.ccls.	US-PGPUB
54	BRS	L94	335	712/216-219.ccls.	US-PGPUB
55	BRS	L95	24	712/222.ccls.	US-PGPUB
56	BRS	L96	167	712/225.ccls.	US-PGPUB
57	BRS	L97	192	712/227.ccls.	US-PGPUB
58	BRS	L98	55	712/229.ccls.	US-PGPUB
59	BRS	L99	95	712/244.ccls.	US-PGPUB
60	BRS	L100	58	703/26.ccls.	US-PGPUB
61	BRS	L113	0	"8252308"	USPAT
62	BRS	L114	0	"8252308".an.	USPAT
63	BRS	L115	0	"08252308"	USPAT
64	BRS	L116	21	712/202.ccls.	US-PGPUB
65	BRS	L117	335	712/216-219.ccls.	US-PGPUB
66	BRS	L118	24	712/222.ccls.	US-PGPUB
67	BRS	L119	167	712/225.ccls.	US-PGPUB
68	BRS	L120	192	712/227.ccls.	US-PGPUB
69	BRS	L121	55	712/229.ccls.	US-PGPUB
70	BRS	L122	95	712/244.ccls.	US-PGPUB
71	BRS	L123	58	703/26.ccls.	US-PGPUB
72	BRS	L142	0	"8252308"	USPAT
73	BRS	L143	0	"8252308".an.	USPAT
74	BRS	L144	0	"08252308"	USPAT
75	BRS	L145	21	712/202.ccls.	US-PGPUB
76	BRS	L146	335	712/216-219.ccls.	US-PGPUB
77	BRS	L147	24	712/222.ccls.	US-PGPUB
78	BRS	L148	167	712/225.ccls.	US-PGPUB
79	BRS	L149	192	712/227.ccls.	US-PGPUB
80	BRS	L150	55	712/229.ccls.	US-PGPUB
81	BRS	L151	95	712/244.ccls.	US-PGPUB
82	BRS	L152	58	703/26.ccls.	US-PGPUB
83	BRS	L153	61	fxch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

84	BRS	L154	24658	(exchang\$3 or switch\$3 or swap\$4) with stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
----	-----	------	-------	---	--

	Type	L #	Hits	Search Text	DBs
85	BRS	L155	26156	(exchang\$3 or switch\$3 or swap\$4) with stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
86	BRS	L156	8962	(exchang\$3 or switch\$3 or swap\$4) near3 stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
87	BRS	L157	1069	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
88	BRS	L158	178	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and dependency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
89	BRS	L159	87	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and dependency and microcode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
90	BRS	L160	92	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and dependency and (microcode or (micro adj code) or (microinstruction or (micro adj instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
91	BRS	L161	9275	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and dependency and (microcode or (micro adj code)) or (microinstruction or (micro adj instruction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
92	BRS	L162	9238	((exchang\$3 or switch\$3 or swap\$4) near3 stack) with exception with dependency with (microcode or (micro adj code)) or (microinstruction or (micro adj instruction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
93	BRS	L163	0	((exchang\$3 or switch\$3 or swap\$4) near3 stack) with exception with dependency with ((microcode or (micro adj code)) or (microinstruction or (micro adj instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
94	BRS	L164	0	((exchang\$3 or switch\$3 or swap\$4) near3 stack) near2 exception with dependency with ((microcode or (micro adj code)) or (microinstruction or (micro adj instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
95	BRS	L165	0	((exchang\$3 or switch\$3 or swap\$4) near3 stack) same exception same dependency same ((microcode or (micro adj code)) or (microinstruction or (micro adj instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB



	Type	L #	Hits	Search Text	DBs
96	BRS	L166	0	((exchang\$3 or switch\$3 or swap\$4) near3 stack) same exception same dependency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
97	BRS	L167	178	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and dependency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
98	BRS	L168	87	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and dependency and (microcode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
99	BRS	L169	92	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and dependency and ((microcode or (micro adj code)) or (microinstruction or (micro adj instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
100	BRS	L170	21	712/202.ccls.	US-PGPUB
101	BRS	L171	335	712/216-219.ccls.	US-PGPUB
102	BRS	L172	24	712/222.ccls.	US-PGPUB
103	BRS	L173	167	712/225.ccls.	US-PGPUB
104	BRS	L174	192	712/227.ccls.	US-PGPUB
105	BRS	L175	55	712/229.ccls.	US-PGPUB
106	BRS	L176	95	712/244.ccls.	US-PGPUB
107	BRS	L177	58	703/26.ccls.	US-PGPUB
108	BRS	L178	83	overrid\$3 near2 dependen\$3	USPAT
109	BRS	L179	363	(overrid\$3 or overcom\$3) near2 dependen\$3	USPAT
110	BRS	L180	3	(overrid\$3 or overcom\$3 or bypass\$3) near2 dependen\$3 same stack	USPAT
111	BRS	L181	21	712/202.ccls.	US-PGPUB
112	BRS	L182	335	712/216-219.ccls.	US-PGPUB

	Type	L #	Hits	Search Text	DBs
113	BRS	L183	24	712/222.ccls.	US-PGPUB
114	BRS	L184	167	712/225.ccls.	US-PGPUB
115	BRS	L185	192	712/227.ccls.	US-PGPUB
116	BRS	L186	55	712/229.ccls.	US-PGPUB
117	BRS	L187	95	712/244.ccls.	US-PGPUB
118	BRS	L188	58	703/26.ccls.	US-PGPUB
119	BRS	L189	42	floating near2 point near exchange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
120	BRS	L190	63	floating near2 point near2 exchange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
121	BRS	L191	0	"8252308"	USPAT
122	BRS	L192	0	"8252308".an.	USPAT
123	BRS	L193	0	"08252308"	USPAT
124	BRS	L194	21	712/202.ccls.	US-PGPUB
125	BRS	L195	335	712/216-219.ccls.	US-PGPUB
126	BRS	L196	24	712/222.ccls.	US-PGPUB
127	BRS	L197	167	712/225.ccls.	US-PGPUB
128	BRS	L198	192	712/227.ccls.	US-PGPUB
129	BRS	L199	55	712/229.ccls.	US-PGPUB
130	BRS	L200	95	712/244.ccls.	US-PGPUB
131	BRS	L201	58	703/26.ccls.	US-PGPUB
132	BRS	L202	0	"8252308"	USPAT
133	BRS	L203	0	"8252308".an.	USPAT
134	BRS	L204	0	"08252308"	USPAT
135	BRS	L205	21	712/202.ccls.	US-PGPUB
136	BRS	L206	335	712/216-219.ccls.	US-PGPUB
137	BRS	L207	24	712/222.ccls.	US-PGPUB
138	BRS	L208	167	712/225.ccls.	US-PGPUB
139	BRS	L209	192	712/227.ccls.	US-PGPUB
140	BRS	L210	55	712/229.ccls.	US-PGPUB
141	BRS	L211	95	712/244.ccls.	US-PGPUB
142	BRS	L212	58	703/26.ccls.	US-PGPUB
143	BRS	L1	1	"6668315".pn.	USPAT
144	BRS	L2	1	"6079011".pn.	USPAT
145	BRS	L3	1	"5696595".pn.	USPAT
146	BRS	L4	1	"5696955".pn.	USPAT

147	BRS	L8	1	"6487657".pn.	USPAT
-----	-----	----	---	---------------	-------

	Type	L #	Hits	Search Text	DBs
148	BRS	L9	1	"5649225".pn.	USPAT
149	BRS	L10	1	"20040068641"	US-PGPUB
150	BRS	L19	1	"5696955".pn.	USPAT
151	BRS	L50	1	"6668315".pn.	USPAT
152	BRS	L51	1	"6079011".pn.	USPAT
153	BRS	L52	1	"5696595".pn.	USPAT
154	BRS	L53	1	"5696955".pn.	USPAT
155	BRS	L54	1	"6487657".pn.	USPAT
156	BRS	L55	1	"5649225".pn.	USPAT
157	BRS	L56	1	"20040068641"	US-PGPUB
158	BRS	L57	1	"5696955".pn.	USPAT
159	BRS	L76	1	"6668315".pn.	USPAT
160	BRS	L77	1	"6079011".pn.	USPAT
161	BRS	L78	1	"5696595".pn.	USPAT
162	BRS	L79	1	"5696955".pn.	USPAT
163	BRS	L80	1	"6487657".pn.	USPAT
164	BRS	L81	1	"5649225".pn.	USPAT
165	BRS	L82	1	"20040068641"	US-PGPUB
166	BRS	L83	1	"5696955".pn.	USPAT
167	BRS	L101	1	"6668315".pn.	USPAT
168	BRS	L102	1	"6079011".pn.	USPAT
169	BRS	L103	1	"5696595".pn.	USPAT
170	BRS	L104	1	"5696955".pn.	USPAT
171	BRS	L105	1	"6487657".pn.	USPAT
172	BRS	L106	1	"5649225".pn.	USPAT
173	BRS	L107	1	"20040068641"	US-PGPUB
174	BRS	L108	1	"5696955".pn.	USPAT
175	BRS	L124	1	"6668315".pn.	USPAT
176	BRS	L125	1	"6079011".pn.	USPAT
177	BRS	L126	1	"5696595".pn.	USPAT
178	BRS	L127	1	"5696955".pn.	USPAT
179	BRS	L128	1	"6487657".pn.	USPAT
180	BRS	L129	1	"5649225".pn.	USPAT
181	BRS	L130	1	"20040068641"	US-PGPUB
182	BRS	L131	1	"5696955".pn.	USPAT
183	BRS	L136	1	"6681632".pn.	USPAT
184	BRS	L137	1	"5829049".pn.	USPAT
185	BRS	L138	1	"5487258".pn.	USPAT
186	BRS	L139	1	"5987258".pn.	USPAT
187	BRS	L140	1	"5896517".pn.	USPAT
188	BRS	L141	1	"4217638".pn.	USPAT
189	BRS	L213	1	"6668315".pn.	USPAT

190	BRS	L214	1	"6079011".pn.	USPAT
191	BRS	L215	1	"5696595".pn.	USPAT

	Type	L #	Hits	Search Text	DBs
192	BRS	L216	1	"5696955".pn.	USPAT
193	BRS	L217	1	"6487657".pn.	USPAT
194	BRS	L218	1	"5649225".pn.	USPAT
195	BRS	L219	1	"20040068641"	US-PGPUB
196	BRS	L220	1	"5696955".pn.	USPAT
197	BRS	L221	1	"6668315".pn.	USPAT
198	BRS	L222	1	"6079011".pn.	USPAT
199	BRS	L223	1	"5696595".pn.	USPAT
200	BRS	L224	1	"5696955".pn.	USPAT
201	BRS	L225	1	"6487657".pn.	USPAT
202	BRS	L226	1	"5649225".pn.	USPAT
203	BRS	L227	1	"20040068641"	US-PGPUB
204	BRS	L228	1	"5696955".pn.	USPAT
205	BRS	L229	1	"6668315".pn.	USPAT
206	BRS	L230	1	"6079011".pn.	USPAT
207	BRS	L231	1	"5696595".pn.	USPAT
208	BRS	L232	1	"5696955".pn.	USPAT
209	BRS	L233	1	"6487657".pn.	USPAT
210	BRS	L234	1	"5649225".pn.	USPAT
211	BRS	L235	1	"20040068641"	US-PGPUB
212	BRS	L236	1	"5696955".pn.	USPAT
213	BRS	L237	1	"6668315".pn.	USPAT
214	BRS	L238	1	"6079011".pn.	USPAT
215	BRS	L239	1	"5696595".pn.	USPAT
216	BRS	L240	1	"5696955".pn.	USPAT
217	BRS	L241	1	"6487657".pn.	USPAT
218	BRS	L242	1	"5649225".pn.	USPAT
219	BRS	L243	1	"20040068641"	US-PGPUB
220	BRS	L244	1	"5696955".pn.	USPAT
221	BRS	L245	1	"6668315".pn.	USPAT
222	BRS	L246	1	"6079011".pn.	USPAT
223	BRS	L247	1	"5696595".pn.	USPAT
224	BRS	L248	1	"5696955".pn.	USPAT
225	BRS	L249	1	"6487657".pn.	USPAT
226	BRS	L250	1	"5649225".pn.	USPAT
227	BRS	L251	1	"20040068641"	US-PGPUB
228	BRS	L252	1	"5696955".pn.	USPAT
229	BRS	L253	1	"6681632".pn.	USPAT
230	BRS	L254	1	"5829049".pn.	USPAT
231	BRS	L279	1	"6725361".pn.	USPAT
232	BRS	L282	1	"4594682".pn.	USPAT

	Type	L #	Hits	Search Text	DBs
233	BRS	L21	2	"20040068641".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
234	BRS	L23	31	"5857089".pn. or "5522051".pn. or "5860017".pn. or "5649225".pn. or "5764938".pn. or "5572664".pn. or "6370637".pn. or "5884062".pn. or "5940311".pn. or "5991863".pn. or "5404469".pn. or "5471593".pn. or "5930508".pn. or "5819060".pn. "5895999".pn. or "6079011".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
235	BRS	L41	86	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and underflow and ((microcode or (micro adj code)) or (microinstruction or (micro adj instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
236	BRS	L58	2	"20040068641".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
237	BRS	L60	31	"5857089".pn. or "5522051".pn. or "5860017".pn. or "5649225".pn. or "5764938".pn. or "5572664".pn. or "6370637".pn. or "5884062".pn. or "5940311".pn. or "5991863".pn. or "5404469".pn. or "5471593".pn. or "5930508".pn. or "5819060".pn. "5895999".pn. or "6079011".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
238	BRS	L64	2	(overrid\$3 or overcom\$3) near2 dependen\$3 with stack	USPAT
239	BRS	L65	3	(overrid\$3 or overcom\$3) near2 dependen\$3 same stack	USPAT
240	BRS	L67	2	speculat\$4 with dependen\$3 with stack	USPAT
241	BRS	L84	2	"20040068641".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
242	BRS	L86	31	"5857089".pn. or "5522051".pn. or "5860017".pn. or "5649225".pn. or "5764938".pn. or "5572664".pn. or "6370637".pn. or "5884062".pn. or "5940311".pn. or "5991863".pn. or "5404469".pn. or "5471593".pn. or "5930508".pn. or "5819060".pn. "5895999".pn. or "6079011".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB



	Type	L #	Hits	Search Text	DBs
243	BRS	L109	2	"20040068641".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
244	BRS	L111	31	"5857089".pn. or "5522051".pn. or "5860017".pn. or "5649225".pn. or "5764938".pn. or "5572664".pn. or "6370637".pn. or "5884062".pn. or "5940311".pn. or "5991863".pn. or "5404469".pn. or "5471593".pn. or "5930508".pn. or "5819060".pn. "5895999".pn. or "6079011".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
245	BRS	L132	2	"20040068641".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
246	BRS	L134	31	"5857089".pn. or "5522051".pn. or "5860017".pn. or "5649225".pn. or "5764938".pn. or "5572664".pn. or "6370637".pn. or "5884062".pn. or "5940311".pn. or "5991863".pn. or "5404469".pn. or "5471593".pn. or "5930508".pn. or "5819060".pn. "5895999".pn. or "6079011".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
247	BRS	L255	2	"20040068641".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
248	BRS	L257	31	"5857089".pn. or "5522051".pn. or "5860017".pn. or "5649225".pn. or "5764938".pn. or "5572664".pn. or "6370637".pn. or "5884062".pn. or "5940311".pn. or "5991863".pn. or "5404469".pn. or "5471593".pn. or "5930508".pn. or "5819060".pn. "5895999".pn. or "6079011".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
249	BRS	L258	86	((exchang\$3 or switch\$3 or swap\$4) near3 stack) and exception and underflow and ((microcode or (micro adj code)) or (microinstruction or (micro adj instruction)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
250	BRS	L259	2	"20040068641".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
251	BRS	L261	31	"5857089".pn. or "5522051".pn. or "5860017".pn. or "5649225".pn. or "5764938".pn. or "5572664".pn. or "6370637".pn. or "5884062".pn. or "5940311".pn. or "5991863".pn. or "5404469".pn. or "5471593".pn. or "5930508".pn. or "5819060".pn. "5895999".pn. or "6079011".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
252	BRS	L262	2	(overrid\$3 or overcom\$3) near2 dependen\$3 with stack	USPAT
253	BRS	L263	3	(overrid\$3 or overcom\$3) near2 dependen\$3 same stack	USPAT
254	BRS	L264	2	speculat\$4 with dependen\$3 with stack	USPAT
255	BRS	L265	2	"20040068641".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
256	BRS	L267	31	"5857089".pn. or "5522051".pn. or "5860017".pn. or "5649225".pn. or "5764938".pn. or "5572664".pn. or "6370637".pn. or "5884062".pn. or "5940311".pn. or "5991863".pn. or "5404469".pn. or "5471593".pn. or "5930508".pn. or "5819060".pn. "5895999".pn. or "6079011".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
257	BRS	L268	2	"20040068641".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
258	BRS	L270	31	"5857089".pn. or "5522051".pn. or "5860017".pn. or "5649225".pn. or "5764938".pn. or "5572664".pn. or "6370637".pn. or "5884062".pn. or "5940311".pn. or "5991863".pn. or "5404469".pn. or "5471593".pn. or "5930508".pn. or "5819060".pn. "5895999".pn. or "6079011".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
259	BRS	L271	2	"20040068641".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
260	BRS	L273	31	"5857089".pn. or "5522051".pn. or "5860017".pn. or "5649225".pn. or "5764938".pn. or "5572664".pn. or "6370637".pn. or "5884062".pn. or "5940311".pn. or "5991863".pn. or "5404469".pn. or "5471593".pn. or "5930508".pn. or "5819060".pn. "5895999".pn. or "6079011".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
261	BRS	L280	5	"6499101"	USPAT
262	BRS	L281	46	"4594682"	USPAT

	Type	L #	Hits	Search Text	DBs
263	BRS	L20	121	"42511"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
264	BRS	L22	104	qnan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
265	BRS	L59	104	qnan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
266	BRS	L61	121	"42511"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
267	BRS	L85	104	qnan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
268	BRS	L87	121	"42511"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
269	BRS	L110	104	qnan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
270	BRS	L112	121	"42511"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
271	BRS	L133	104	qnan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
272	BRS	L135	121	"42511"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
273	BRS	L256	104	qnan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
274	BRS	L260	104	qnan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
275	BRS	L266	104	qnan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
276	BRS	L269	104	qnan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
277	BRS	L272	104	qnan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
278	BRS	L274	121	"42511"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
279	BRS	L275	121	"42511"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
280	BRS	L276	121	"42511"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
281	BRS	L277	121	"42511"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
282	BRS	L278	121	"42511"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB